M250-C40B OPERATION AND MAINTENANCE

		Та	ble 603				
		Inspecti	on Checkshee	t			
Own	er			Date			
A/C	Make/Model		S/N	Reg. No	TSN	l	
Eng	ne S/N		TSN	TSO			
repro a per	FOLLO\ RESULT	to reflect the aircraft aft engine records. Deration and Maint UNDERTAKING LT THE REFERENCY THE RECOMME IN EQUIPMENT DA	t operating end Detailed information tenance Manu- ANY INSPECED PARAGRENDED INSTINATION DE AMAGEOR DE	vironment. Keep mation regardin al paragraphs. CTION OR M APHS OF THIS RUCTIONS IN	the complete the c	eted s bection CE FAIL IUAL	sheets as on item is ACTION, LURE TO COULD
	PERSO Diance to the 150 Hour Diendar months or by the		ction items in t		performed	at le	ast every
Item	Inspection/Maintenand	ce Action		REFERENCE S	SECTION	~	Initial
	<u>150 HC</u>	UR INSPECTION					
1	Inspect the engine for loose connections, se and broken or missing areas for obvious dan leakage. Inspect the and air tube B-nuts to not loosened.	curity of mounting a g safeties. Check ac nage and evidence c slippage marks on a	occessories, occessible of fuel and oil all fuel, oil				
2	Inspect the compresso damage.	or impeller leading e	dges for	72-30-00, para	a 3.B.		
3	Clean the compressor wash solution if dirt but		chemical	72-30-00, para	ı 4.B.		
4	Without disassembly, i supports and the air general condition.			72-50-00, para	1 5.K.		
				72-40-00, para	a 2.B.(1)		
5	Inspect the engine fue Check condition and			72-40-00, Tab	e 203		
6	Inspect the engine mo	unts for condition ar	nd security.				
7	Inspect electrical harn broken wires and loos		d, frayed, or				

M250-C40B OPERATION AND MAINTENANCE

	Table 603 (cont)						
Item	Inspection/Maintenance Action	REFERENCE SECTION	1	Initial			
	150 HOUR INSPECTION CAUTION: NORMAL ENGINES USE A MINIMAL AMO ANY SUDDEN INCREASE IN OIL CONSU OF OIL SYSTEM PROBLEMS AND MUST	MPTION IS INDICATIVE					
8	Check oil supply level. If the engine has been idle for more than 15 minutes, motor the engine for 30 seconds to scavenge any oil that can have drained into the gearbox from the oil tank. Failure to completely scavenge the oil from the gearbox will cause a false indication of high oil consumption. See Post Flight Check No. 3 NOTE: Check oil supply level within 15 minutes of engi	72-00-00, Table 101 Troubleshooting, items 11 and 12. ne shutdown.					
Ø	Inspect for extension of impending oil filter bypass indicator. If indicator is extended, clean oil filter. It is possible for the impending oil filter bypass indicator to extend during a start of a cold soaked engine, giving an erroneous indication of a dirty oil filter. If the impending filter bypass indicator is extended, run the engine until the oil is at operating temperature and push the indicator button in. If the button remains in throughout the normal speed range of the engine, the filter does not require cleaning.	72-60-00, para 1.C.					
9.A	Clean and inspect the fuel nozzle.	73-10-03					
	Install fuel nozzle with proper number of spacers.						
10	Inspect for extension of scavenge oil filter bypass indicator on CEFA. If the bypass indicator is extended, examine/clean the engine oil filter and the scavenge oil filter. If contamination is found, replace the scavenge oil filter. If no contamination is found, reinstall the scavenge oil filter with new packing, and manually reset the indicator. If the CEFA bypass indicator is extended and contamination is found in the scavenge oil filter, replace/clean the oil cooler, oil tank, and lubrication lines (Ref. the airframe manual instructions). Drain and replace the engine oil, and manually reset the indicator. NOTE: The scavenge oil filter cannot be cleaned.	72-60-00, para 1.E.					
	NOTE: If metal contamination is found in the scavenge within the previous 50 hours, take the applicable section).						
11	Inspect for extension of impending fuel filter bypass indicator. If indicator is extended, replace fuel filter. Ground run engine to assure proper operation of control system.	73-10-02, para 2.B.					

M250-C40B OPERATION AND MAINTENANCE

	Table 603 (cont)			
Item	Inspection/Maintenance Action	REFERENCE SECTION	~	Initial
	150 HOUR INSPECTION			
12	Record component changes, inspections, and compliance with technical instructions as required. Report engine difficulties to Rolls-Royce and/or AMC on M250 Report, Form 8117-1 (Rev. 1-82) as required.			
13	Inspect compressor scroll for cracks. Pay particular attention to welded areas.			
14	Clean the burner drain valve.	72-40-00, para 3.		
	Ensure that the airframe overboard is clear. Refer to aircraft manual for maintenance procedures.			
15	Inspect the anti-icing and bleed air components for loose, chafed, frayed or broken wires, loose connections and security of attachment.			
16	Inspect the horizontal and vertical firewall shields for cracks.	72-50-00, para 5.J.		
	NOTE: Continued sheet metal or tube cracking can be engine, engine accessory, or airframe vibration.	an indication of excessive		
17	Check HMU for freedom of operation and full travel. Check for condition and security of all linkages.	73-21-01, para 1.B.		
18	 Remove, clean, operationally test, and reinstall the magnetic drain plugs: a. Standard type - check the chip detector end of the plugs for cracks. b. Quick disconnect - inspect the locking device and inserts for wear. Torque 60-80 lb in. (6.8-9.0 N·m). No cracks are acceptable. Check each chip detector separately. 	72-00-00 , para 8.E. Engine Servicing		
19	Inspect ignition lead for burning, chafing or cracking of conduit. Also, check for loose connectors and/or broken lockwire.	74-20-02, para 2.		
	Perform operational check of ignitors.	74-20-01, para 2.B.		
20	Remove, inspect, clean and reinstall the oil filter. If excessive carbon is found in the filter, inspect the scavenge and pressure oil system. Refer to 72–50–00 para 5.E., 5.F., 5.G., 5.H., 6.A., and 6.B.	72-60-00, para 1.C.		

M250-C40B OPERATION AND MAINTENANCE

	Table 603 (cont)			
Item	Inspection/Maintenance Action	REFERENCE SECTION	~	Initial
	150 HOUR INSPECTION			
21	Measure and record power turbine support pressure oil nozzle flow from scavenge oil strut. Record and retain flow record. While motoring N_1 to 16–18% the minimum flow is 90cc in 15 seconds.	72-50-00, para 5.E.		
	Flow			
	Compare with previous flow. Any large deviation could indicate carbon buildup.			
	NOTE: Refer to M250-C40B series CSL-5038, Recor Change for additional instructions.	nmended Sequence, Engine	Oil	
22	HMU Manual Mode Piston Function. Record must indicate that shutdown per referenced section has been performed at least once each 150 hours.	72-00-00, para 7.0, Alternate Shutdown - AUTO MODE or para 9.N, Shutdown, MANUAL MODE		
23	MGT indicating system check. During ground run with engine at 100% N ₂ , Monitor MGT using (MT) Maintenance Terminal Software, analog parameter page. Compare MT value with aircraft MGT gage. Must agree within 5° C. If not within limits, use thermocouple simulator to identify problem.	72-00-00, para 7.C. 72-00-00, para 3.D. 73-25-01, para 2		
24	Torque indicating system check During ground run with engine at 100% N ₂ , monitor torque (Q) using MT software analog parameter page. Compare MT value with aircraft torque gage. Must agree within 2 psi. If not within limits, use pressure tester to identify problem.	72-00-00, para 7.C. 73-25-01, para 2		
25	FADEC Fault and Maintenance system check FADEC must be free of all faults and maintenance actions.	73-25-01, para 2		
26	HMU MANUAL MODE Operation Function. Record must indicate that a cockpit check per referenced section has been performed at least once each 150 hours.	72-00-00, para 7.C.(1), MANUAL MODE CHECK		
27	Visually inspect the outer combustion case (sheet metal and weld seams) for cracks. Pay particular attention to the weld seams in the area of the igniter plugs, dummy plug, drain valves, fuel nozzle bosses, armpit braze patch and adjacent areas. Use a bright light and mirror as necessary. The OCC does not have to be removed. Perform a Leak Tec check for installed OCC's and an FPI for removed OCC's.	74-40-00, para 2.B.(1), (2), (3) and (4)		

M250-C40B OPERATION AND MAINTENANCE

	TABLE 604				
Item	Inspection/Maintenance Action	REFERENCE SECTION	~	Initial	
	300 HOUR INSPECTION				
	In addition to the 150 hour inspection items, perform the following:				
1	Clean power turbine support scavenge oil strut.	72-50-00, para 5.G.			
2	Clean external sump.	72-50-00, para 5.F.			
3	Clean No. 1 bearing oil pressure reducer.	72-30-00, para 2.A. (1)			
4	Clean pressure oil fitting screen assembly.	72-50-00, para 5.F.			
	CAUTION: EXTREME CARE MUST BE EXERCISED TO PREVENT TWISTING OF OIL NOZZLE DURING REMOVAL. DO NOT ATTEMPT TO STRAIGHTEN OR REUSE IF TWISTED.				
5	Clean power turbine pressure oil nozzle.	72-50-00, para 5.F.			
6	Remove and disassemble fuel nozzle. Clean and inspect fuel nozzle filter assembly. Assemble and install fuel nozzle.	73-10-03			
7	Remove, inspect and reinstall the turbine pressure oil check valve.	72-60-00, para 2.l.			
	NOTE: Check Valve P/N 23074872 and subsequent pa to this inspection (these valves are considered		le		
8	Inspect the rear engine mount for security and excessive bearing wear.	72-00-00, para 1.A., (3) Engine-Inspection/ Check.			
9	Drain the oil system and refill.	72-00-00, para 8.D., Engine Servicing.			
	Oil changed at: 300 hours: 600 hours:				
	Maximum interval between oil changes is 300 hours or 6 months, whichever occurs first. This limit can be extended to 600 hours or 12 calendar months, whichever occurs first, if an approved high thermal stability oil (Third Generation) is used.				
10	On power and accessory gearbox cover, check the applied torque on all turbine and exhaust collector support-to-gearbox retaining nuts.	72-50-00, para 1.B.			
	Torque must be 120-150 lb in. (14-17 N·m).				
11	Inspect the thermocouple assembly (TOT/MGT).	77-20-01, para 2.B.			
12	Visually inspect the outer combustion case (sheet metal and weld seams) for cracks. Pay particular attention to the weld seams in the area of the igniter plugs, dummy plug, drain valves, fuel nozzle bosses, armpit braze patch and adjacent areas. Use a bright light and mirror as necessary. The OCC does not have to be removed. Perform a Leak Tec check for installed OCC's and an FPI for removed OCC's.	74-40-00, para 2.B.(1), (2), (3) and (4)			

M250-C40B OPERATION AND MAINTENANCE

	TABLE 605			
Item	Inspection/Maintenance Action	REFERENCE SECTION	~	Initial
	1750 HOUR INSPECTION			
	The following inspections are required every 1750 hours time since last inspection			
1	Remove and replace the fuel filter element. Before discarding filter, inspect for signs of contaminants. If contaminants are found, inspect the entire fuel system and clean if necessary.	73-10-02, PARA 2.		
2	Inspect the combustion liner.	72-40-00, PARA 1.C.		
3	Examine the outer combustion case for cracks using Leak-Tek and/or Fluorescent Penetrant Inspection (FPI).	72-40-00, PARA 2.B.(2) (3), and (4).		
4	Inspect the compressor discharge air tubes.	72-40-00, PARA 4.C.		
5	Inspect the spur adapter gearshaft, compressor rotor splined adapter and associated impeller bore.	72-30-00, PARA 3.B.(2), 3.C. and 3.E.		
6	Inspect the turbine to compressor coupling, turbine splined adapter, power turbine inner shaft and turbine shaft-to-pinion gear coupling.	72-50-00, PARA 5.A. and 5.B.		
	Turbine to compressor coupling is part of the turbine assembly.			
7	Visually examine the power drive train gears.	CSL 5131		
	Inspection uses a non-intrusive procedure without disassembly of gearbox.			
	NOTE: The following inspections are recommended removed in-between the required 1750 hour in		comp	ressor is
	Anytime the compressor is removed from the espur adapter gearshaft for worn or damaged s		aft er	nd of the
Anytime the turbine is removed from the engine visually inspect the spline following items, turbine-to-compressor coupling, turbine splined adapter, outer shaft and turbine shaft-to-pinion gear coupling for worn or damaged				er turbine
	If spline wear or damage is observed the appro (Refer to Items 5 and 6 above).	opriate maintenance action	is red	quired.
	Inspection intervals must not exceed 1750 hou	ırs.		

M250-C40B OPERATION AND MAINTENANCE

		TABLE 606			
		Inspection Checkshee	et		
Owner_			Date		
A/C Mak	ke/ModeL	S/N Reg N	oTSN		
Engine 9	S/N	TSNTSO_			
i i	can be loca Keep the co nformation	ion checksheet is to be used when performin lly reproduced and/or expanded to reflect to empleted sheets as a permanent part of the regarding each inspection item is containe e Manual paragraphs.	he aircraft operating enviro a aircraft engine records. D	nmer etaile	nt. ed
<u>(</u>	CAUTION:	BEFORE UNDERTAKING INSPECTION OF SULT THE REFERENCED PARAGRAPHS TENANCE MANUAL. FAILURE TO FOIL STRUCTIONS IN THE MANUAL COULD FOR DESTRUCTION, POSSIBLY RESULTING.	S OF THE OPERATION ANI LLOW THE RECOMMEND RESULT IN EQUIPMENT D	D MA DED AMA	IN- IN- GE
1	NOTE:	THIS INSPECTION CHECKLIST CAN ONLUSING AN APPROVED THIRD GENERAL		4TOF	RIS
1	NOTE:	COMPLIANCE TO THE 150 HOUR AND MUST BE PERFORMED AT LEAST EVEF HOURS, WHICHEVER OCCURS FIRST.			
Item In	spection/M	aintenance Action	REFERENCE SECTION	~	Initial
		150 HOUR INSPECTION			
b		xtension of impending oil filter ator. If indicator is extended, clean oil	72-60-00, para 1.C.		
e a ir e p tl	extend during an erroneou mpending find in the individual of the i	or the impending oil filter bypass indicator to g a start of a cold soaked engine, giving s indication of a dirty oil filter. If the lter bypass indicator is extended, run the the oil is at operating temperature and icator button in. If the button remains in he normal speed range of the engine, the of require cleaning.			
		spect the fuel nozzle. pzzle with proper number of spacers.	73-10-03		

M250-C40B OPERATION AND MAINTENANCE

TABLE 606 (cont)				
Item	Inspection/Maintenance Action	REFERENCE SECTION	~	Initial
	150 HOUR INSPECTION			
3	Inspect for extension of scavenge oil filter bypass indicator on CEFA.	72-60-00, para 1.E.		
	If the bypass indicator is extended, examine/clean the engine oil filter and the scavenge oil filter. If contamination is found, replace the scavenge oil filter. If no contamination is found, reinstall the scavenge oil filter with new packing, and manually reset the indicator.			
	If the CEFA bypass indicator is extended and contamination is found in the scavenge oil filter, replace/clean the oil cooler, oil tank, and lubrication lines (Ref. the airframe manual instructions). Drain and replace the engine oil, and manually reset the indicator.			
	NOTE: The scavenge oil filter cannot be cleaned.			
	NOTE: If metal contamination is found in the scavenge oil filter in CEFA and a chip ligh occurred within the previous 50 hours, take the applicable maintenance steps (Ref. para 8.E.(2), this section).			
4	Inspect for extension of impending fuel filter bypass indicator.	73-10-02, para 2.B.		
	If indicator is extended, replace fuel filter. Ground run engine to assure proper operation of control system.			
5	HMU MANUAL MODE Operation Function. Record must indicate that a cockpit check per referenced section has been performed at least once each 150 hours.	72-00-00, para 7.C.(1), MANUAL MODE CHECK		
6	Visually inspect the outer combustion case (sheet metal and weld seams) for cracks. Pay particular attention to the weld seams in the area of the igniter plugs, dummy plug, drain valves, fuel nozzle bosses, armpit braze patch and adjacent areas. Use a bright light and mirror as necessary. The OCC does not have to be removed. Perform a Leak Tec check for installed OCC's and an FPI for removed OCC's.	72-40-00 Para 2.B.(1), (2), (3) and (4)		
Item	Inspection/Maintenance Action	REFERENCE SECTION	~	Initial
	300 HOUR INSPECTION			
	In addition to the 150 hour inspection items, perform the following:			
1	Inspect the engine for obvious loose bolts, broken or loose connections, security of mounting accessories, and broken or missing safeties. Check accessible areas for obvious damage and evidence of fuel and oil leakage. Inspect the slippage marks on all fuel, oil and air tube B-nuts to make sure that the nuts have not loosened.			

M250-C40B OPERATION AND MAINTENANCE

	TABLE 606 (cont)			
Item	Inspection/Maintenance Action	REFERENCE SECTION	~	Initial
	300 HOUR INSPECTION			
2	Inspect the compressor impeller leading edges for damage.	72-30-00, para 3.B.		
3	Clean the compressor, as required, with a chemical wash solution if dirt buildup is evident.	72-30-00, para 4.B.		
4	Without disassembly, inspect turbine, exhaust collector supports and the air tubes for cracks, buckling and general condition.	72-50-00, para 5.K. 72-40-00, para 2.B.(1)		
5	Inspect the engine fuel system for evidence of leakage. Check condition and security of fittings and tubing.	72-40-00, Table 203		
6	Inspect the engine mounts for condition and security.			
7	Inspect electrical harness for loose, chafed, frayed, or broken wires and loose connectors.			
	CAUTION: NORMAL ENGINES USE A MINIMAL AMOUNT OF OIL. HOWEVER, ANY SUDDEN INCREASE IN OIL CONSUMPTION IS INDICATIVE OF OIL SYSTEM PROBLEMS AND MUST BE CORRECTED.			
8	Check oil supply level. If the engine has been idle for more than 15 minutes, motor the engine for 30 seconds to scavenge any oil that could have drained into the gearbox from the oil tank. Failure to completely scavenge the oil from the gearbox will cause a false indication of high oil consumption. See Post Flight Check No. 3	72-00-00, Table 101 Troubleshooting, items 11 and 12.		
	NOTE: Check oil supply level within 15 minutes of engi	ne shutdown.		
9	Record component changes, inspections, and compliance with technical instructions as required. Report engine difficulties to Rolls-Royce and/or AMC on M250 Report, Form 8117-1 (Rev. 1-82) as required.			
10	Inspect compressor scroll for cracks. Pay particular attention to welded areas.			
11	Clean the burner drain valve.	72-40-00, para 3.		
	Ensure that the airframe overboard is clear. Refer to aircraft manual for maintenance procedures.			
12	Inspect the anti-icing and bleed air components for loose, chafed, frayed or broken wires, loose connections and security of attachment.			
13	Inspect the horizontal and vertical firewall shields for cracks.	72-50-00, para 5.J.		

M250-C40B OPERATION AND MAINTENANCE

	TABLE 606 (cont)			
Item	Inspection/Maintenance Action	REFERENCE SECTION	~	Initial
	300 HOUR INSPECTION			
	NOTE: Continued sheet metal or tube cracking can be engine, engine accessory, or airframe vibration.	an indication of excessive		
14	Check HMU for freedom of operation and full travel. Check for condition and security of all linkages.	73-21-01, para 1.B.		
15	 Remove, clean, operationally test, and reinstall the magnetic drain plugs: a. Standard type - check the chip detector end of the plugs for cracks. b. Quick disconnect - inspect the locking device and inserts for wear. Torque 60-80 lb in. (6.8-9.0 N·m). No cracks are acceptable. Check each chip detector separately. 	72-00-00 , para 8.E. Engine Servicing		
16	Inspect ignition lead for burning, chafing or cracking of conduit. Also, check for loose connectors and/or broken lockwire.	74-20-02, para 2.		
	Perform operational check of ignitors.	74-20-01, para 2.B.		
17	Remove, inspect, clean and reinstall the oil filter. If excessive carbon is found in the filter, inspect the scavenge and pressure oil system. Refer to 72–50–00 para 5.E., 5.F., 5.G., 5.H., 6.A., and 6.B.	72-60-00, para 1.C.		
18	Measure and record power turbine support pressure oil nozzle flow from scavenge oil strut. Record and retain flow record. While motoring N_1 to 16–18% the minimum flow is 90cc in 15 seconds.	72-50-00, para 5.E.		
	Flow			
	Compare with previous flow. Any large deviation could indicate carbon buildup.			
	NOTE: Refer to M250-C40B series CSL-5038, Recommended Sequence, Engine Oil Change for additional instructions.			
19	HMU Manual Mode Piston Function. Record must indicate that shutdown per referenced section has been performed at least once each 300 hours.	72-00-00, para 7.0, Alternate Shutdown - AUTO MODE or para 9.N, Shutdown, MANUAL MODE		

M250-C40B OPERATION AND MAINTENANCE

	TABLE 606 (cont)			
Item	Inspection/Maintenance Action	REFERENCE SECTION	~	Initial
	300 HOUR INSPECTION			
20	MGT indicating system check. During ground run with engine at 100% N ₂ , Monitor MGT using (MT) Maintenance Terminal Software, analog parameter page. Compare MT value with aircraft MGT gage. Must agree with 5°C (41°F). If not in limits, use thermocouple simulator to identify problem.	72-00-00, para 7.C. 72-00-00, para 3.D. 73-25-01, para 2.		
21	Torque indicating system check During ground run with engine at 100% N_2 , monitor torque (Q) using MT software analog parameter page. Compare MT value with aircraft torque gage. Must agree within 2 psi (13.78 kPa). If not in limits, use pressure tester to identify problem.	72-00-00, para 7.C. 73-25-01, para 2.		
22	FADEC Fault and Maintenance system check FADEC must be free of all faults and maintenance actions.	73-25-01, para 2.		
23	Clean power turbine support scavenge oil strut.	72-50-00, para 5.G.		
24	Clean external sump.	72-50-00, para 5.F.		
25	Clean No. 1 bearing oil pressure reducer.	72-30-00, para 2.A. (1)		
26	Clean pressure oil fitting screen assembly.	72-50-00, para 5.F.		
	CAUTION: EXTREME CARE MUST BE EXERCISED T NOZZLE DURING REMOVAL. DO NOT A' REUSE IF TWISTED.			
27	Clean power turbine pressure oil nozzle.	72-50-00, para 5.F.		
28	Remove and disassemble fuel nozzle. Clean and inspect fuel nozzle filter assembly. Assemble and install fuel nozzle.	73-10-03		
29	Remove, inspect and reinstall the turbine pressure oil check valve.	72-60-00, para 2.l.		
	NOTE: Check Valve P/N 23074872 and subsequent part numbers are not applicable to this inspection (these valves are considered "ON CONDITION").			

M250-C40B OPERATION AND MAINTENANCE

	TABLE 606 (cont)					
Item	Inspection/Maintenance Action	REFERENCE SECTION	~	Initial		
	300 HOUR INSPECTION					
30	Inspect the rear engine mount for security and excessive bearing wear.	72-00-00, para 1.A., (3) Engine-Inspection/ Check.				
31	Drain the oil system and refill. Oil changed at: 300 hours: 600 hours: Maximum interval between oil changes is 300 hours or 6 months, whichever occurs first. This limit can be extended to 600 hours or 12 calendar months, whichever occurs first, if an approved high thermal stability oil (Third Generation) is used.	72-00-00, para 8.D., Engine Servicing.				
32	On power and accessory gearbox cover, check the applied torque on all turbine and exhaust collector support-to-gearbox retaining nuts. Torque must be 120-150 lb in. (14-17 N·m).	72-50-00, para 1.B.				
33	Record component changes, inspections, and compliance with technical instructions as required. Report engine difficulties to Rolls-Royce and/or AMC on M250 Report, Form 8117-1 (Rev. 1-82) as required.					
34	Inspect the thermocouple assembly (TOT/MGT).	77-20-01, para 2.B.				
35	Visually inspect the outer combustion case (sheet metal and weld seams) for cracks. Pay particular attention to the weld seams in the area of the igniter plugs, dummy plug, drain valves, fuel nozzle bosses, armpit braze patch and adjacent areas. Use a bright light and mirror as necessary. The OCC does not have to be removed. Perform a Leak Tec check for installed OCC's and an FPI for removed OCC's.	72-40-00, para 2.B.(1), (2), (3) and (4)				
Item	Inspection/Maintenance Action	REFERENCE SECTION	~	Initial		
	1750 HOUR INSPECTION					
	The following inspections are required every 1750 hours time since last inspection					
1	Remove and replace the fuel filter element. Before discarding filter, inspect for signs of contaminants. If contaminants are found, inspect the entire fuel system and clean if necessary.	73-10-02, para 2.				
2	Inspect the combustion liner.	72-40-00, para 1.C.				
3	Examine the outer combustion case for cracks using Leak-Tek and/or Fluorescent Penetrant Inspection (FPI).	72-40-00, para 2.B.(2), (3), and (4).				
4	Inspect the compressor discharge air tubes.	72-40-00, para 4.C.				

M250-C40B OPERATION AND MAINTENANCE

TABLE 606 (cont)					
Item	Inspection	on/Maintenance Action	REFERENCE SECTION	~	Initial
		1750 HOUR INSPECTION			
5		the spur adapter gearshaft, compressor rotor adapter and associated impeller bore.	72-30-00, para 3.B.(2), 3.C., and 3.E.		
6	Inspect the turbine to compressor coupling, turbine splined adapter, power turbine inner shaft and turbine shaft-to-pinion gear coupling. Turbine to compressor coupling is part of the turbine assembly.		72-50-00, PARA 5.A. and 5.B.		
7	Visually examine the power drive train gears. Inspection uses a non-intrusive procedure without disassembly of gearbox.		CSL 5131		
	NOTE: The following inspections are recommended whenever the turbine or compressor is removed in-between the required 1750 hour inspection. Anytime the compressor is removed from the engine, visually inspect the aft end of the spur adapter gearshaft for worn or damaged splines. Anytime the turbine is removed from the engine visually inspect the splines on the following items, turbine-to-compressor coupling, turbine splined adapter, power turbine outer shaft and turbine shaft-to-pinion gear coupling for worn or damaged splines. If spline wear or damage is observed the appropriate maintenance action is required. (Refer to Items 5 and 6 above). Inspection intervals must not exceed 1750 hours.				